ENTER -312

In the Specification:

On page 13, please delete the paragraph beginning at line 3, and replace it with the following paragraph:

Referring to Figs. 1 and 2[[.]] a Data Storage Environment 10 includes a Production Host 14 with an interface 17 that may be for example a graphical user interface (GUI) or command line interface (CLI). A user, or some form of automated process may invoke processes of the present invention through interface 17 and communication path 15, and such processes may include the Protected Restore feature discussed above. In general, in a preferred embodiment, when a user initiates a Protected Restore, discussed further with reference to Fig. 4 below, the Program Logic 34 which includes the Sync Engine 41 (Fig. 2) begins a reverse-sync along path 21 to copy data from the Data Copy or Clone 22 to the Production Data or Source 20 in memory 33. Although the Clone is shown on the same system as the Production Data, it may be located on another Data Storage System. Program Logic 34 also includes Clone I/O Manager 45 and Collision Detector 47, which are discussed below with reference to Figs. 10 and 11.

On page 17, please delete the paragraph beginning at line 15, and replace it with the following paragraph:

During this operation, Host-write 1 ~~though~~ through interface 17a is received by the Source 20 over path 15a. This write request affects a data area on the Source LU that is represented by multiple (2) bits in the Clone's Delta Map (bits 6 and 7). Because bit 6 of Clone1's Delta Map 28 is not set, no COD is required. However, the Host write request still cannot be processed at this time until bit 7 is checked. Because bit 7 of Clone1's Delta Map 28